

A PROPESSIONAL LAW CORPORATION One Utah Center 201 South Main Street, Suite 1800 Post Office Box 45898 Sait Lake City, Utah 84145-0898 Telephone 801 532-1234 Facsimile 801 536 6111

## FACSIMILE TRANSMISSION

DATE:

April 8, 2002

To:

UNITED STATES PATENT AND TRADEMARK OFFICE

EXAMINER BRADLEY L. SISSON

Name	Fax No.	PHONE NO.
ATTN: B. L. Sisson	703-746-5020	703-308-3978

SENT BY:

Kimberly G. Snow

PHONE: 801-536-6734

REQUESTED BY:

Alison B. Mohr

PHONE: 801-536-6620

CLIENT-MATTER NUMBER:

04537.017 / AFF 3354

Serial No.: 09/687,932

NUMBER OF PAGES WITH COVER PAGE: 4

originals to arrive via Express Mail: No

#### MESSAGE:

Dear Examiner Sisson,

As per our conversation this morning, here is a draft of some proposed independent and dependent claim language for discussion on April 10, 2002 at 3:00 p.m.

I look forward to meeting with you. Thank you for your time and consideration.

PARSONS BEHLE & LATIMER Bluhr

Alison B. Mohr

CAUTION - CONFIDENTIAL

THIS FACSIMILE INFORMATION IS CONFIDENTIAL AND MAY ALSO CONTAIN PRIVILEGED ATTORNEY-CLIENT INFORMATION OR WORK PRODUCT. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. IF YOU ARE NOT THE INTENDED RECIPIENT, OR THE PERSON RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU MAY NOT USE, DISSEMINATE, DISTRIBUTE OR COPY THIS COMMUNICATION. IF YOU HAVE RECEIVED THE FACSIMILE IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS ABOVE VIA THE U.S. FOSTAL SERVICE. THANK YOU.

# **DRAFT**

### PROPOSED CLAIM LANGUAGE

[cl001] A method for amplifying a detectable signal, the method comprising:

- a) contacting a target with a receptor comprising one or more sites capable of binding a binding ligand, said receptor being complexed to at least one microparticle;
   and
- b) detecting the presence of said microparticle.

[cl002] A method for amplifying a signal, the method comprising:

- contacting a target with a first receptor, wherein said first receptor is capable of binding to a first binding ligand;
- b) complexing a first receptor with an anti-receptor, said anti-receptor being conjugated to a microparticle, said anti-receptor comprising a plurality of second binding ligands;
- c) complexing said anti-receptor with a plurality of second receptors, each of said second receptors comprising a detectable moiety; and
- d) detecting the presence of said detectable moiety.

[cl003] A method for amplifying a detectable signal, the method comprising:

- a) contacting a target with a receptor to form a complex, said receptor comprising a
  detectable moiety and a binding site capable of binding said binding ligand;
- b) contacting said complex with a microparticle comprising at least one anti-receptor capable of binding to said receptor; and
- detecting the presence of said detectable moiety.

[cl004] A method for amplifying a detectable signal, the method comprising;

- a) contacting a target with a first receptor to form a first complex;
   contacting said first complex with a microparticle comprising a binding site for said first receptor and at least one binding site for a second receptor to form a second complex;
- b) contacting said second complex with a second receptor comprising a detectable moiety; and
- c) detecting said detectable moiety.

[cl005] A method for amplifying a detectable signal, the method comprising;

- a) contacting a target with a first receptor to form a first complex, said first receptor comprising a first detectable moiety;
- contacting said first complex with a microparticle comprising a binding site for said first receptor and at least one binding site for a second receptor to form a second complex;
- c) contacting said second complex with a second receptor comprising a second detectable moiety; and
- d) detecting at least one of said detectable moieties.

### PROPOSED DEPENDENT CLAIM LANGUAGE

- wherein said microparticle is used to amplify signals from an array.
- wherein said binding ligand comprises biotin, said receptor comprises streptavidin, and said microparticle is fluorescent.
- wherein said microparticle is detectable and further comprising detecting the presence of said microparticle.
- wherein said first receptor complexes with said anti-receptor via a direct receptoranti-receptor interaction.
- wherein said first receptor complexes with said anti-receptor via said second binding ligand.
- wherein said anti-receptor complexes with said second receptor via a direct receptor-anti-receptor interaction.
- wherein said anti-receptor complexes with said second receptor via said second binding ligand.
- wherein said first and second binding ligands are the same and said first and second receptors are the same.
- · wherein said microparticle is flourescently dyed.
- wherein said detectable moiety is phycoerythrin.
- wherein said first receptor comprises a second detectable moiety.

- wherein said first and second detectable moieties are detected using the same detection method.
- wherein said first and second detectable moieties are each detected using different detection methods.
- wherein said microparticle, said first detectable moiety and said second detectable moiety are detected using the same detection method.
- wherein said microparticle, said first detectable moiety and said second detectable moiety are detected using a different detection method.
- wherein said anti-receptor is complexed to said first receptor via a direct antireceptor-receptor interaction.
- wherein said anti-receptor is complexed to said first receptor via said second binding ligands.
- wherein said anti-receptor is complexed to said second receptor via a direct antireceptor-receptor interaction.
- wherein said anti-receptor is complexed to said second receptor via said second binding ligands.

8:27 PM 4/8/02 Transmission Record
Received from remote ID "801 536 6111"
Unique ID: "BSI3CB1FD407A79"
Elapsed time: 1 minutes, 33 seconds.
Used channel 0.
No ANI data.
No AOC data.
Resulting status code (0): No Errors
Pages sent: 1 - 4